



Think Global Think Grepl

repl

i n t e r n a t i o n a l

DISCOVER
THE **VIGOUR** AND
GRACE IN YOUR
SPACE




GREEN X STONE


40C^x
400MM




**400x400
DIGITAL PARKING TILES**



5001



5002




12 MM
THICKNESS

DIGITAL PARKING TILES

400x400
DIGITAL PARKING TILES



5003



5004



5005



5006



5007




5008



5009



5010




5011



DIGITAL PARKING TILES

**400x400
DIGITAL PARKING TILES**



5012



5013




DIGITAL PARKING TILES

400x400
DIGITAL PARKING TILES



5014



5015



5016



5017



5018



5019



5020



5021



5022



12 MM
THICKNESS

DIGITAL PARKING TILES

400x400
DIGITAL PARKING TILES



5023



5024



DIGITAL PARKING TILES


400x400
DIGITAL PARKING TILES



5025



5026



5027



5028



5029



5030



5031



5032




5033



12 MM
THICKNESS

DIGITAL PARKING TILES

**400x400
DIGITAL PARKING TILES**



5034




5035




DIGITAL PARKING TILES

400x400
DIGITAL PARKING TILES



5036




5037



5038



5039



5040



5041



5042



5043




5044



DIGITAL PARKING TILES

**400x400
DIGITAL PARKING TILES**



5045




5046



**12 MM
THICKNESS**

DIGITAL PARKING TILES

400x400
DIGITAL PARKING TILES



5047



5048



5049



5050



5051




5052



5053



5054




5055



DIGITAL PARKING TILES

400x400 DIGITAL PARKING TILES



5056



5057



12 MM
THICKNESS

DIGITAL PARKING TILES

400x400
DIGITAL PARKING TILES



5058




5059



5060




5061



5062



5063



5064



5067



5068



12 MM
THICKNESS

DIGITAL PARKING TILES


400x400 DIGITAL PARKING TILES



5065-L



5065-D




12 MM
THICKNESS

DIGITAL PARKING TILES

400x400
DIGITAL PARKING TILES



5065



5066-L



5066-D



5066



5069



5070



5071



5072




5073



DIGITAL PARKING TILES


**400x400
DIGITAL PARKING TILES**



5074



5075




12 MM
THICKNESS

DIGITAL PARKING TILES

**400x400
DIGITAL PARKING TILES**



5076



5077



5078




5079




5080



5081



5082



5083



5084



DIGITAL PARKING TILES

400x400
DIGITAL PARKING TILES



5087



5088




12 MM
THICKNESS

DIGITAL PARKING TILES

**400x400
DIGITAL PARKING TILES**



5085



5086




5089



5090



5091



5092



5093



5094




5095



**12 MM
THICKNESS**

DIGITAL PARKING TILES

400x400 DIGITAL PARKING TILES



5096



5097



DIGITAL PARKING TILES

**400x400
DIGITAL PARKING TILES**



5098



5099



5100



5101




5102



5103



5104



5105



5106



DIGITAL PARKING TILES

400x400
DIGITAL PARKING TILES



5107




5108




12 MM
THICKNESS

DIGITAL PARKING TILES

400x400
DIGITAL PARKING TILES



5109



5110



5111



5112



5113




5114



5115



5116



5117



DIGITAL PARKING TILES

400x400
DIGITAL PARKING TILES



5118



5119





12 MM
THICKNESS

DIGITAL PARKING TILES

**400x400
DIGITAL PARKING TILES**




5120



5121



5122



5123



5124



5125



5126



5127



5128



DIGITAL PARKING TILES

**400x400
DIGITAL PARKING TILES**



5129



5130



DIGITAL PARKING TILES

400x400 DIGITAL PARKING TILES



5131



5132



5133



5134



5135




5136



5137



5138



5139



DIGITAL PARKING TILES


**400x400
DIGITAL PARKING TILES**



5140



5142



12 MM
THICKNESS

DIGITAL PARKING TILES

**400x400
DIGITAL PARKING TILES**



5141_HL



5141_LT



5144



5143_HL



5143_LT



5146



5145_HL



5145_DK



5147



OUTDOOR DIGITAL PARKING TILES

400x400
DIGITAL PARKING TILES



5148



5149





12 MM
THICKNESS

DIGITAL PARKING TILES

400x400
DIGITAL PARKING TILES



5150



5151



5152



5153_HL



5153_LT



5154



5155



OUTDOOR DIGITAL PARKING TILES

Technical Specification

Sr. No.	Characteristics	EN:177B-II AIS:13755	SILVENTA VALUE
1	Deviation in Length	± 2.5%	± 0.1%
2	Deviation in Thickness	± 2.5%	± 1.0%
3	Wedging	± 1.0%	± 0.2%
4	Surface Flatness	± 1.5%	± 0.2%
5	Water Absorption	< 1.0%	< 0.5%
6	Mohs Hardness		8
7	Flexural Strength	> 20 N/mm ²	> 45 N/mm ²
8	Abrasion Resistance	< 204 mm ² (EN 176)	< 144 mm ²
9	Thermal Expansion	9x10.6 (EN 176)	6x10.6
10	Thermal Shock Resistance	No Damage	No Damage
11	Resistance to acid (Wt. Loss)	< 1.5%	< 0.4%
12	Skid Resistance (Friction coefficient)	> 0.4 (EN 176)	> 0.6
13	Breaking Strength	± 2.5%	400 Kg/cm ²
14	Stain Resistance	Resistant (EN 176)	Resitant
15	Moisture Expansion	Nil (EN 176)	Nil

Note : 1. Our conformity to the above standards is applicable only for premium quality.

Packing Detail

Sr. No.	Size	Thickness (mm)(Approx)	Pieces Per Box	Area/Box Sq. ft.	Area/Box Sq. mt.	Wt./Box Kgs.(Approx)
1	400mm x 400mm (16"x16")	12.00	5	8.60	0.80	19
1	400mm x 400mm (DG)	12.00	5	8.60	0.80	19

Note :

1. Certain amount of size and shade variation is inherent in all ceramic products.
2. Our conformity to the above First is applicable only for Quality.
3. Colour shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However the company reserve the right to change the specification without prior notice. Sometimes variations in shade or size being inherent to ceramic industry may occur. It is suggest to check the tiles before purchase any laying as the company dose not accept responsibility once the tiles are laid.

Features :

								
Suitable For Floor	Frost Resistance	Anti Slip	Break Resistance	Easy To Install	Chemical Resistance	Resistance To Abrasion	Maintenance Free	Eco Friendly



THANK YOU...